







- NOTES:**
1. FIRE DETECTION SYSTEM TO LINK INTO THE LANDROB BUILDING FIRE DETECTION SYSTEM.
 2. FIRE SYSTEM SHALL BE INSTALLED TO THE REQUIREMENTS OF CATEGORY 12 OF BS 5839-1:2002.
 3. DETECTORS SHALL BE INSTALLED BEFORE AND AFTER THE 1ST FLOOR.
 4. DETECTORS SHALL BE INSTALLED ON ANY LOFT WHICH PROVIDES ACCESS TO THE BUILDING.
 5. DETECTORS SHALL BE A MINIMUM OF 300mm FROM ANY WALL OR PARTITION.
 6. ALL FIRE CIRCUIT CABLEING SHALL BE CARRIED OUT IN PP200 OR EQUAL.
 7. ALL CABLES LOCATED OVER ESCAPE ROUTES MUST BE SUPPORTED BY METALLIC CLIPS AT 100mm INTERVALS IN COMPLIANCE WITH RELEVANT BUILDING REGULATIONS.
 8. ALL CABLES LOCATED OVER ESCAPE ROUTES MUST BE SUPPORTED BY METALLIC CLIPS AT 100mm INTERVALS IN COMPLIANCE WITH RELEVANT BUILDING REGULATIONS.
 9. ALL CABLES LOCATED OVER ESCAPE ROUTES MUST BE SUPPORTED BY METALLIC CLIPS AT 100mm INTERVALS IN COMPLIANCE WITH RELEVANT BUILDING REGULATIONS.
 10. ALL CABLES LOCATED OVER ESCAPE ROUTES MUST BE SUPPORTED BY METALLIC CLIPS AT 100mm INTERVALS IN COMPLIANCE WITH RELEVANT BUILDING REGULATIONS.
 11. ALL CABLES LOCATED OVER ESCAPE ROUTES MUST BE SUPPORTED BY METALLIC CLIPS AT 100mm INTERVALS IN COMPLIANCE WITH RELEVANT BUILDING REGULATIONS.
 12. ALL CABLES LOCATED OVER ESCAPE ROUTES MUST BE SUPPORTED BY METALLIC CLIPS AT 100mm INTERVALS IN COMPLIANCE WITH RELEVANT BUILDING REGULATIONS.
 13. ALL CABLES LOCATED OVER ESCAPE ROUTES MUST BE SUPPORTED BY METALLIC CLIPS AT 100mm INTERVALS IN COMPLIANCE WITH RELEVANT BUILDING REGULATIONS.

- NOTES:**
1. ALL FINAL INTERNAL CIRCUIT CABLEING SHALL BE CARRIED OUT IN STRANDED COPPER CONDUCTORS.
 2. CONDUCTORS SHALL BE CARRIED OUT IN STRANDED COPPER CONDUCTORS.
 3. CONDUCTORS SHALL BE CARRIED OUT IN STRANDED COPPER CONDUCTORS.
 4. CONDUCTORS SHALL BE CARRIED OUT IN STRANDED COPPER CONDUCTORS.
 5. CONDUCTORS SHALL BE CARRIED OUT IN STRANDED COPPER CONDUCTORS.
 6. CONDUCTORS SHALL BE CARRIED OUT IN STRANDED COPPER CONDUCTORS.
 7. CONDUCTORS SHALL BE CARRIED OUT IN STRANDED COPPER CONDUCTORS.
 8. CONDUCTORS SHALL BE CARRIED OUT IN STRANDED COPPER CONDUCTORS.
 9. CONDUCTORS SHALL BE CARRIED OUT IN STRANDED COPPER CONDUCTORS.
 10. CONDUCTORS SHALL BE CARRIED OUT IN STRANDED COPPER CONDUCTORS.
 11. CONDUCTORS SHALL BE CARRIED OUT IN STRANDED COPPER CONDUCTORS.
 12. CONDUCTORS SHALL BE CARRIED OUT IN STRANDED COPPER CONDUCTORS.
 13. CONDUCTORS SHALL BE CARRIED OUT IN STRANDED COPPER CONDUCTORS.
 14. CONDUCTORS SHALL BE CARRIED OUT IN STRANDED COPPER CONDUCTORS.
 15. CONDUCTORS SHALL BE CARRIED OUT IN STRANDED COPPER CONDUCTORS.

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS


Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS

Rev	Description	Date	By	Check
1	Initial Issue	23/04/2021	LS	LS



East Devon Licensing Authority Approved Plan		
Date of Approval	23/04/2021	
Licence No.	PLWA0877	
Licencee	LJ Barber	

Licensed Area

SCHEDULE OF REVISIONS		
Rev	Description	Date
1	Initial Issue	23/04/2021
SCHEDULE OF MODELS		
HEALTH AND SAFETY NOTES		
D3 SUITABLE FOR CONSTRUCTION		
FIRST FLOOR		
FIRE & EMERGENCY LIGHTING LAYOUT		
SIDESHORE EXMOUTH		
MICHAEL CAINES LTD		
EDP		
2351-EDP-22-01-DR-E-4002		